

DIY



Durable



Safety



Precision



Bi-color Handle



A compact and versatile tool

Polished heavy steel ratchet arm for a smooth nonbinding operation

Heat treated bolts

Drop forged steel hooks with spring safe latches

Mini Type Single Gear & Single Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-100	3/4 TON	4mm x 7ft	2	2.3mm	2.3mm	12	14	1.1	6
HP-111	1 TON	5mm x 10ft	2	2.6mm	2.6mm	15	17	1.45	6
HP-112	1½ TON	5mm x 12ft	2	3.2mm	3mm	18	20	1.45	6

Package : 1pc / color box

HAND POWER PULLER

DIY



Durable



Safety



Precision



HAND POWER PULLER

A compact and versatile tool

Polished heavy steel ratchet arm for a smooth nonbinding operation

Heat treated bolts

Drop forged steel hooks with spring safe latches

Mini Type Single Gear & Single Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-110	1 TON	4mm x 7ft	2	2.3mm	2.3mm	12	14	1.1	6

Package : 1pc / color box

DIY



Durable



Safety



Precision



HAND POWER PULLER



A compact and versatile tool

Polished heavy steel ratchet arm for a smooth nonbinding operation

Heat treated bolts

Drop forged steel hooks with spring safe latches

Mini Type Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	QTY
HP-102	2 TON	5mm x 7ft	2	2.8mm	2.6mm	15	16	1.1	6
HP-113	2 TON	5mm x 10ft	2	3.0mm	2.8mm	18	19	1.45	6

Package : 1pc / color box



Durable



Safety



Precision



A compact and versatile tool

Polished heavy steel ratchet arm for a smooth nonbinding operation

Heat treated bolts

Drop forged steel hooks with spring safety latches

Mini Type Double Gear & Double Pull

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	QTY
HP-114	2 TON	6mm x 10R	2	3.6mm	3.5mm	24	28	1.75	4

Package : 1pc / color box

STANDARD




Strengthened



Precision



Solidness



A great helpmate for your life and work

Comfortable hand grip

Heavy duty steel stamped ratchet gears, drive pawls and stop pawls for reinforcement

Heat treated bolts

Drop forged hanging bracket can be operated by 360 degrees

AI Type Single Gear & Single Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-117	2 TON	5mm x 12ft	2	3.5mm	3.5mm	21.5	23.5	1.45	6
HP-132	3 TON	5mm x 12ft	2	4mm	4.5mm	25	27	1.75	6

Package : 1pc / color box

STANDARD




Strengthened



Precision



Solidness



HAND POWER PULLER

A great helpmate for your life and work

Comfortable hand grip

Heavy duty steel stamped ratchet gears, drive pawls and stop pawls for reinforcement

Heat treated bolts

Drop forged hanging bracket can be operated by 360 degrees

AI Type Single Gear & Single Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-133	3 TON	5mm x 12ft	3	4mm	4.5mm	27	29	1.75	6

Package : 1pc / color box

STANDARD




Strengthened



Solidness



Equilibrium



3 HOOKS

A great helpmate for your life and work

- Comfortable hand grip
- Heavy duty steel stamped ratchet gears, drive pawls and stop pawls for reinforcement
- Heat treated bolts
- Double gears for equilibrium
- Drop forged hanging bracket can be operated by 360 degrees

AI Type Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-123	2 TON	5mm x 10ft	2	3.5mm	3.5mm	22	24	1.75	6
HP-124	2 TON	5mm x 10ft	3	3.5mm	3.5mm	24	26	1.45	6

Package : 1pc / color box

HAND POWER PULLER

STANDARD



Strengthened



Precision



Solidness



HAND POWER PULLER

A great helpmate for your life and work

Comfortable hand grip

Heavy duty steel stamped ratchet gears, drive pawls and stop pawls for reinforcement

Heat treated bolts

Drop forged hanging bracket can be operated by 360 degrees

AI Type Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-131	3 TON	5mm x 10ft	2	3.5mm	4.0mm	26	27	1.75	6

Package : 1pc / color box

STANDARD



Strengthened




Precision



Solidness

HAND POWER PULLER



3 HOOKS

A great helpmate for your life and work

Comfortable hand grip

Heavy duty steel stamped ratchet gears, drive pawls and stop pawls for reinforcement

Heat treated bolts

Drop forged hanging bracket can be operated by 360 degrees

AI Type Single Gear & Single Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-134	4 TON	6mm x 10ft	2	4.0mm	4.0mm	21.5	22.5	1.8	4
HP-135	4 TON	6mm x 10ft	3	4.0mm	4.0mm	22.5	23.5	1.9	4

Package : 1pc / color box

STANDARD




Equilibrium



Safety



Solidness



HAND POWER PULLER

A great helpmate for your life and work

- Comfortable hand grip
- Aluminum alloy gears for wear resistance
- Heat treated bolts
- Double gears for equilibrium
- Drop forged hanging bracket can be operated by 360 degrees

AI Type with Switch Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-121	2 TON	5mm x 10ft	2	3.5mm	3.5mm	22.8	23.8	1.75	6

Package : 1pc / color box

PROFESSIONAL



Easy Operation



Safety



Durable



DURABLE SOLID STEEL GEAR



TYPE : HP-148D



3 HOOKS

Strong, durable and easy operation

Durable solid steel gear construction for greater pulling power & safety

Large drop forged alloy steel safety hooks

Attractive bi-colored grip

Cable clamp fixed onto the drum for safety



2 TON

4 TON

Bi-color Handle

D Type Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING (Color Box)			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-123D	2.5 TON	5mm x 10ft	2	3.5mm	3.5mm	24.6	25.3	1.75	6
HP-148D	4 TON	6mm x 10ft	3	5mm	6mm	22.9	23.5	1.38	3

Package : color box and blow case are available

PROFESSIONAL



Easy Operation



Safety



Durable



HAND POWER PULLER



DURABLE SOLID STEEL GEAR



3 HOOKS

Strong, durable and easy operation

Durable solid steel gear construction for greater pulling power & safety

Large drop forged alloy steel safety hooks

Attractive bi-colored grip

Cable clamp fixed onto the drum for safety

D Type Single Gear & Single Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING (Color Box)			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	QTY
HP-117D	2 TON	5mm x 12ft	2	3.5mm	3.5mm	23.5	24.2	1.75	6
HP-141D	4 TON	6mm x 12ft	3	5mm	6mm	21.5	22.2	1.38	3
HP-142D	4 TON	6mm x 12ft	2	5mm	6mm	20	20.6	1.38	3

Package : color box and blow case are available

PROFESSIONAL

HAND POWER PULLER



Safety



Durable



Switch



DURABLE SOLID STEEL GEAR



2 HOOKS

Strong, durable and easy operation

- Durable solid steel gear construction for greater pulling power & safety
- Large drop forged alloy steel safety hooks
- Attractive bi-colored grip
- Cable clamp fixed onto the drum for safety



2 TON

4 TON

Bi-color Handle

AI Type with Switch Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING (Color Box)			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-121D	2.5 TON	5mm x 10ft	2	3.5mm	3.5mm	24.6	25.3	1.75	6
HP-147D	4 TON	6mm x 10ft	3	5mm	6mm	22.9	23.5	1.38	3

Package : color box and blow case are available

PROFESSIONAL



Safety



Durable



Switch



HAND POWER PULLER

Strong, durable and easy operation

The new lightweight yet powerful hand power puller provides high strength but weight just 4.3 kg.

AI Type with Switch Double Gear & Double Pawl

ITEM	CAPACITY	CABLE	HOOK	Thickness		PACKING (Color Box)			
				Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-161D	4 TON	6mm x 8ft	2	3.5mm	3.5mm	19.2	20.5	1.36	4

Package : color box and blow case are available

WEBBING PULLER Protect your cargo without scratching



Anti-rusted Insulation



Equilibrium



Switch



HAND POWER PULLER



Transportation



Leisure



Emergency



Boating

Your best partner & helpmate of labor-saving

It's a simple, but labor saving device designed based on the physical principles to help generate maximum pulling force by minimum force.

It's compact and light-weighted that make the puller easy to operate and carry.

Applying to soft webbing instead of wires makes it possible to extend as much the length as needed.

Better fixation for the fragile surface cargo.

Non-conductive, Corrosion resistance and high strength strap.

Standard Type with Switch

ITEM	CAPACITY	WEBBING	GEAR / PAWL	HOOK	Thickness		PACKING			
					Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HPW-211	2 TON	25mm x 6m/9m	DOUBLE	2	3.5mm	3.5mm	19.5	21.5	1.95	6

Package : 1pc / color box

ROPE PULLER Powerful tool for hauling and protecting cargo



Polyester rope with high tensile strength



Special ditch construction fitted with rope tightly



HAND POWER PULLER



Transportation



Leisure



Emergency



Boating

An innovation to prevent Hand Power Puller from tangle

- Great for boat yards, motorcycles, home, etc.
- Easy operation
- Unlimited reach
- Durable and Strong
- Equipped with non-conductive Polyester rope
- Polyester rope prevents object's surface from damaging or scraping
- Ergonomic and light weight construction
- Easy to carry and store

ITEM	CAPACITY	ROPE	GEAR / PAWL	HANDLE TYPE	HOOK	Thickness		PACKING			
						Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HPR-301	1 TON	∅ 10mm x 6m/9m	DOUBLE	STANDARD	3	3mm	3mm	18	19	1.1	6

Package : 1pc / color box

ROPE PULLER Powerful tool for hauling and protecting cargo

HAND POWER PULLER



Light Handle

Light can be used individually



Black Handle



Bi-color Handle



Polyester rope with high tensile strength



Special ditch construction fitted with rope tightly



Transportation



Leisure



Gardening



Fence

An innovation to prevent Hand Power Puller from tangle

Great for boat yards, motorcycles, home, etc.

Easy operation

Unlimited reach

Durable and Strong

Equipped with non-conductive Polyester rope

Polyester rope prevents object's surface from damaging or scraping

Ergonomic and light weight construction

Easy to carry and store

Ergonomic detachable handle design : 1. Bi-color

2. With separable emergency light

ITEM	CAPACITY	ROPE	GEAR PAWL	HANDLE TYPE	HOOK	Thickness		PACKING (Color Box)			
						Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	QTY
HPR-302-1	1 TON	Ø 10mm x 6m/9m	DOUBLE	Black	3	Ø19x3mm	3mm	15	16	1.1	6
HPR-302-2	1 TON	Ø 10mm x 6m/9m	DOUBLE	Bi-Color	3	Ø19x3mm	3mm	15	16	1.1	6
HPR-302-3	1 TON	Ø 10mm x 6m/9m	DOUBLE	With Light	3	Ø19x3mm	3mm	15.5	17.5	1.1	6

Package : color box and blow case are available

PORTABLE PULLER Big puller in a little case



Light Handle

Light can be used individually



Black Handle



Bi-color Handle



HP-101PB



HAND POWER PULLER


Store easily under a pick-up seat or straps in a luggage carrier

Ergonomic detachable handle design

Emergency situations:

As a winch, move, immobilize, tow, rescue your vehicle in slopes, hollows, slippery terrain: snow covered, sandy or muddy road

Patents pending in USA, Canada, China and Taiwan



Easy assembly handle



Emergency




Fence


ITEM	CAPACITY	Cable	GEAR PAWL	HANDLE TYPE	HOOK	Thickness		PACKING			
						Handle	Body	N.W. (KG)	G.W. (KG)	CUFT	Q'TY
HP-101P-1	1 TON	5mm x 10'	Single	Black	2	3.5mm	3mm	20	21	1.96	6
HP-101P-2	1 TON	5mm x 10'	Single	Bi-Color	2	3.5mm	3mm	20	21	1.96	6
HP-101P-3	1 TON	5mm x 10'	Single	With Light	2	3.5mm	3mm	20	21	1.96	6
HP-101PB-1	1 TON	4mm x 6'	Single	Black	2	3.5mm	3mm	20	21	1.96	6
HP-101PB-2	1 TON	4mm x 6'	Single	Bi-Color	2	3.5mm	3mm	20	21	1.96	6
HP-101PB-3	1 TON	4mm x 6'	Single	With Light	2	3.5mm	3mm	20	21	1.96	6

Package : 1 set / blow case

TWO STRAP



TS-5013HP



TS-5030DJ



TS-5030W



TS-7530W



TS-5003DW

2" TOW STRAP

ITEM NO.	(W) x (L)	BREAKING CAP.	BREAKING CAP.	BREAKING CAP.
		4000 kgs	5000 kgs	6000 kgs
TS-5003	2" x 1m	W/HP/DJ	W/HP/DJ	W/HP
TS-5006	2" x 2m	W/HP/DJ	W/HP/DJ	W/HP
TS-5010	2" x 3m	W/HP/DJ	W/HP/DJ	W/HP
TS-5013	2" x 4m	W/HP/DJ	W/HP/DJ	W/HP
TS-5016	2" x 5m	W/HP/DJ	W/HP/DJ	W/HP
TS-5020	2" x 6m	W/HP/DJ	W/HP/DJ	W/HP
TS-5023	2" x 7m	W/HP/DJ	W/HP/DJ	W/HP
TS-5026	2" x 8m	W/HP/DJ	W/HP/DJ	W/HP
TS-5030	2" x 9m	W/HP/DJ	W/HP/DJ	W/HP
TS-5033	2" x 10m	W/HP/DJ	W/HP/DJ	W/HP

2" DOUBLE LAYERS TOW STRAP

ITEM NO.	DESCRIPTION	BREAKING CAP.	PACK
		7000 (kgs)	
TS-5003DW	2" x 1m	w	PVC Bag / Double Blister
TS-5006DW	2" x 2m	w	PVC Bag / Double Blister
TS-5010DW	2" x 3m	w	PVC Bag / Double Blister
TS-5013DW	2" x 4m	w	PVC Bag / Double Blister
TS-5016DW	2" x 5m	w	PVC Bag / Double Blister
TS-5020DW	2" x 6m	w	PVC Bag / Double Blister
TS-5023DW	2" x 7m	w	PVC Bag / Double Blister
TS-5026DW	2" x 8m	w	PVC Bag / Double Blister
TS-5030DW	2" x 9m	w	PVC Bag / Double Blister
TS-5033DW	2" x 10m	w	PVC Bag / Double Blister

3" TOW STRAP

ITEM NO.	DESCRIPTION	BREAKING CAP.	PACK
		7000 (kgs)	
TS-7506W	3" x 2m	w	PVC Bag / Double Blister
TS-7510W	3" x 3m	w	PVC Bag / Double Blister
TS-7513W	3" x 4m	w	PVC Bag / Double Blister
TS-7516W	3" x 5m	w	PVC Bag / Double Blister
TS-7520W	3" x 6m	w	PVC Bag / Double Blister
TS-7523W	3" x 7m	w	PVC Bag / Double Blister
TS-7526W	3" x 8m	w	PVC Bag / Double Blister
TS-7530W	3" x 9m	w	PVC Bag / Double Blister
TS-7533W	3" x 10m	w	PVC Bag / Double Blister

Remark : 1,the abbreviation above mean the separate end-fitting attached to the tow strap,the details will be as following (please choose one end-fitting only as your product):

W -2 Sewn loops

DJ -2 "DJ" hooks

HP -2 "HP" hooks

2.**PVC bag** package.

WIRE TOW CABLE



**5CAH-12/20
6CAH-12/20
8CAH-12/20**



**5CAP-12/20
6CAP-12/20
8CAP-12/20**




**5CAH-12HP/20HP
6CAH-12HP/20HP
8CAH-12HP/20HP**



**5CAP-12U/20U
6CAP-12U/20U
8CAP-12U/20U**

ITEM NO.	DESCRIPTION	PACKAGE	N.W.(KG)	G.W.(KG)	CUFT	Q'TY
5CAH-12	5mm x 12ft W/O HOOK	Sliding card	6.0	8.0	1.45'	15
5CAH-12HP	5mm x 12ft W/2 HOOK	Sliding card	12.0	14.0	1.45'	15
5CAH-20	5mm x 20ft W/O HOOK	Sliding card	10.0	12.0	1.45'	15
5CAH-20HP	5mm x 20ft W/2 HOOK	Sliding card	16.0	18.0	1.45'	15
6CAH-12	6mm x 12ft W/O HOOK	Sliding card	8.5	10.5	1.45'	15
6CAH-12HP	6mm x 12ft W/2 HOOK	Sliding card	17.5	19.5	1.45'	15
6CAH-20	6mm x 20ft W/O HOOK	polybag	26.7	28.2	1.20'	30
6CAH-20HP	6mm x 20ft W/2HOOK	polybag	29.8	31.5	1.20'	20
8CAH-12	8mm x 12ft W/O HOOK	Sliding card	13.5	15.5	1.45'	15
8CAH-12HP	8mm x 12ft W/2HOOK	Sliding card	26.0	28.0	1.45'	15
8CAH-20	8mm x 20ft W/O HOOK	polybag	27.8	29.3	1.40'	20
8CAH-20HP	8mm x 20ft W/2 HOOK	polybag	22.0	23.5	1.40'	10



HAND POWER PULLER