



***TIE DOWN &
ACCESSORY***

CONSTANTLY REFINING PRODUCTS




ABOUT JK



Hardness Tester




Puller Fatigue Tester



Salt Spray (Fog) Testing Machine



4T Testing Machine




Tie Down Fatigue Tester



20T Micro-computer
Universal Testing Machine



Function Testing Machine



Torsion Testing Machine



Winch Testing Machine

Since 1985, when Jun Kaung first Hand Power Puller was manufactured in Taiwan, quality has been an integral part of all the products that bear Jun Kaung name.

Jun Kaung operates one operations center in Taiwan. The headquarters located in Taichung markets and finances global business and manages brand worldwide.

Market-Oriented Strategic Planning

Jun Kaung develops the board marketing objectives and strategy based on an analysis of the current marketing situation and opportunities. Jun Kaung Group is a market-oriented corporation, which enables it to remain at the forefront of the markets in auto industry.

Jun Kaung means a high-performance mark that consistently satisfies or exceeds the expectation of consumers.

Jun Kaung pioneers both the research and the development fields of manufacturing hand tools that have become the essential elements in auto industries.

Not only does Jun Kaung satisfy its customers' requirements, but also it consults for the interests of its customers.

Jun Kaung is an established and rapidly growing supplier of hand tool products to auto industry. Its offerings include hand power puller, tie down, trailer winch, trailer jack, tie down buckle, web sling, luggage cord, cargo net, hook, and related auto accessories.

One-Stop Shop and Total Solution

"Listening to the customers" is an essential feature of our quality service initiative.

To pursue enhanced quality efforts including improved production procedures, innovative research and development, and best service.

Our customer service team responds the questions and complaints within 24 hours.

We continually look for ways to improve quality. Our quality system as well as our products is established and developed with international standards.

We commit to research a dedicated product development and application program, designed to provide value-added services to our customers.

A partnership with customers enhances their ability to edge competition by getting to market faster and more economically.

Collection

• Hand Power Puller




• WINCH



• Trailer Jack



• Tie Down & Accessory



Jun Kaung





JUN KAUNG

With safety ever the first priority, industrial operators the world over know that JUN KAUNG spells rugged dependability in even the highest risk environments. Where the margin for error is zero there you will find JUN KAUNG Industries Co., Ltd. providing the anchor point in an unpredictable world.



TIE DOWNS

JUN KAUNG tie downs are currently the best sellers used to secure valuable cargo in the bed of your truck or trailer! Great for cars, motorcycles, ATVs, boats, and tarps. Features non-slip, easy-to-secure/release buckles and vinyl coated hooks on each end of the straps. The strap is designed to be extra abrasion resistant for a long and useful life. Choose the product that best meets your needs.

Lashing Strap Series



TDR-090W-1



TDR-099S

Ratchet Tie Down (stainless steel series)




TDR-104DJ-9




TDR-208DJ-9

Ratchet Tie Down Series



TDR-104S / DJ



TDR-153DJ-2



TDR-204S-2



TDR-207DJ-1

Ratchet Buckle



TDR-209



TDR-109-9



TDR-204

Tow Strap




TS-5030DJ

Wire Tow Cable



5CAH-12HP/20HP

Cam buckle series




TDR-060

SIZE: 1" Buckle
PACKING: 1000pcs/ctn
N.W.: 6.0kgs
G.W.: 6.5kgs
CUFT.: 0.5'



TDR-068




TDR-068 / TDR-068A

SIZE: 25mm Buckle
PACKING: 600pcs/ctn
N.W.: 19kgs
G.W.: 20kgs
CUFT.: 0.8'




TDR-068A




TDR-069

SIZE: 20mm Buckle
PACKING: 1000pcs/ctn
N.W.: 10.3kgs
G.W.: 11.3kgs
CUFT.: 1'




TDR-070

SIZE: 35mm Buckle
PACKING: 400pcs/ctn
N.W.: 14.0kgs
G.W.: 15.0kgs
CUFT.: 0.76'



TDR-081

SIZE: 1" Spring Clip
PACKING: 400pcs/ctn
N.W.: 15.0kgs
G.W.: 16.0kgs
CUFT.: 0.76'




TDR-089

SIZE: 19mm Cam Buckle
CAPACITY: 150KGS
PACKING: 1000pcs/ctn
N.W.: 22.0kgs
G.W.: 22.5kgs
CUFT.: 0.5'




Cam buckle series




TDR-090

SIZE: 1" Cam Buckle
CAPACITY: 200KGS
PACKING: 500pcs/ctn
N.W.: 17.5kgs
G.W.: 18.5kgs
CUFT.: 0.5'




TDR-090A

SIZE: 1" Cam Buckle
CAPACITY: 250KGS
PACKING: 500pcs/ctn
N.W.: 23.3kgs
G.W.: 23.8kgs
CUFT.: 0.5'




TDR-091

SIZE: 1" Cam Buckle
CAPACITY: 250KGS
PACKING: 500pcs/ctn
N.W.: 22.5kgs
G.W.: 23.5kgs
CUFT.: 0.5'



TDR-092


SIZE: 1" Cam Buckle
CAPACITY: 350KGS
PACKING: 400pcs/ctn
N.W.: 24.0kgs
G.W.: 25.0kgs
CUFT.: 0.76'



TDR-093


SIZE: 1-1/2" Cam Buckle
CAPACITY: 450KGS
PACKING: 200pcs/ctn
N.W.: 23.5kgs
G.W.: 24.5kgs
CUFT.: 0.6'

Cam buckle series




TDR-094

SIZE: 2" Cam Buckle
CAPACITY: 1000KGS
PACKING: 100pcs/ctn
N.W.: 23.5kgs
G.W.: 24.0kgs
CUFT.: 0.8'





TDR-095

SIZE: 2" Cam Buckle
CAPACITY: 1200KGS
PACKING: 100pcs/ctn
N.W.: 31.0kgs
G.W.: 32.0kgs
CUFT.: 0.76'




TDR-097

SIZE: 1" Cam Buckle
CAPACITY: 800KGS
PACKING: 100pcs/ctn
N.W.: 16.5kgs
G.W.: 17.5kgs
CUFT.: 0.76'



TDR-099


SIZE: 1" Cam Buckle
CAPACITY: 700KGS
PACKING: 200pcs/ctn
N.W.: 25.0kgs
G.W.: 26.0kgs
CUFT.: 0.6'



TDR-099A


SIZE: 1" Cam Buckle
CAPACITY: 800KGS
PACKING: 150 pcs/ctn
N.W.: 24.0kgs
G.W.: 25.0kgs
CUFT.: 0.6'

Ratchet Buckle Series




TDR-101

SIZE: 1" Ratchet Buckle
CAPACITY: 500KGS
PACKING: 100pcs/ctn
N.W.: 21.0kgs
G.W.: 22.0kgs
CUFT.: 0.6'




TDR-104

SIZE: 1" Ratchet Buckle
CAPACITY: 700KGS
PACKING: 100pcs/ctn
N.W.: 22.0kgs
G.W.: 23.0kgs
CUFT.: 0.6'



TDR-105

SIZE: 1" Ratchet Buckle
CAPACITY: 1500KGS
PACKING: 40pcs/ctn
N.W.: 12.0kgs
G.W.: 13.0kgs
CUFT.: 0.47'




TDR-106

SIZE: 1" Ratchet Buckle
CAPACITY: 1500KGS
PACKING: 60pcs/ctn
N.W.: 19.0kgs
G.W.: 20.0kgs
CUFT.: 0.7'


ITEM NO.	FINISH:
TDR-101-1	YELLOW ZINC
TDR-101-2	BLACK COATED
TDR-101-3	CHROME PLATED
TDR-101-4	ZINC PLATED
TDR-101-5	GRAY COATED
TDR-101-6	BLUE COATED
TDR-101-7	ORANGE COATED
TDR-101-8	BLACK DULL
TDR-101-9	STAINLESS

Ratchet Buckle Series




TDR-109

SIZE: 1" Ratchet Buckle
CAPACITY: 1500KGS
PACKING: 60 pcs/ctn
N.W.: 20.5 kgs
G.W.: 21.5 kgs
CUFT.: 0.7'




TDR-153

SIZE: 1-1/2" Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20 pcs/ctn
N.W.: 16.0kgs
G.W.: 16.5kgs
CUFT.: 0.5'




TDR-154

SIZE: 1-1/2" Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20 pcs/ctn
N.W.: 16.0kgs
G.W.: 16.5kgs
CUFT.: 0.6'



TDR-155


SIZE: 1-1/2" Ratchet Buckle
CAPACITY: 2000KGS
PACKING: 40 pcs/ctn
N.W.: 18.5 kgs
G.W.: 19.5 kgs
CUFT.: 0.71'



TDR-156


SIZE: 1-1/2" Ratchet Buckle
CAPACITY: 2000KGS
PACKING: 40 pcs/ctn
N.W.: 16.0kgs
G.W.: 17.0kgs
CUFT.: 0.7'

Ratchet Buckle Series




TDR-200A

SIZE: 2" Ratchet Buckle
CAPACITY: 2000KGS
PACKING: 40pcs/ctn
N.W.: 20.5kgs
G.W.: 21.0kgs
CUFT.: 0.68'




TDR-200B

SIZE: 2" Ratchet Buckle
CAPACITY: 2000KGS
PACKING: 40pcs/ctn
N.W.: 19.0kgs
G.W.: 20.0kgs
CUFT.: 0.59'




TDR-204

SIZE: 2" Ratchet Buckle
CAPACITY: 1000KGS
PACKING: 30pcs/ctn
N.W.: 21.0kgs
G.W.: 22.0kgs
CUFT.: 0.9'



TDR-207


SIZE: 2" Ratchet Buckle
CAPACITY: 5000KGS
PACKING: 20pcs/ctn
N.W.: 21.0kgs
G.W.: 21.5 kgs
CUFT.: 1.1'



TDR-208


SIZE: 2" Ratchet Buckle
CAPACITY: 5000KGS
PACKING: 20pcs/ctn
N.W.: 22.0kgs
G.W.: 23.0kgs
CUFT.: 0.95'

Ratchet Buckle Series




TDR-209

SIZE: 2" Ratchet Buckle
CAPACITY: 5000KGS
PACKING: 20pcs/ctn
N.W.: 21.0kgs
G.W.: 22.0kgs
CUFT.: 1.0'




TDR-212

SIZE: 1-3/4" Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20pcs/ctn
N.W.: 16.0kgs
G.W.: 17.0kgs
CUFT.: 1.1'




TDR-213

SIZE: 1-3/4" Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20pcs/ctn
N.W.: 15.0kgs
G.W.: 16.0kgs
CUFT.: 1.1'



TDR-214


SIZE: 1-3/4" Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20pcs/ctn
N.W.: 17.5kgs
G.W.: 18.5kgs
CUFT.: 1.1'



TDR-215



SIZE: 1-3/4" Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20pcs/ctn
N.W.: 15.0kgs
G.W.: 16.0kgs
CUFT.: 1.0'

Ratchet Buckle Series




TDR-216

SIZE: 2" Ratchet Buckle
CAPACITY: 5000KGS
PACKING: 20pcs/ctn
N.W.: 23.5kgs
G.W.: 24.5kgs
CUFT.: 1.1'




TDR-301

SIZE: 3" Ratchet Buckle
CAPACITY: 10000KGS
PACKING: 8pcs/ctn
N.W.: 25.5kgs
G.W.: 26.5kgs
CUFT.: 0.96'



TDR-401


SIZE: 4" Ratchet Buckle
CAPACITY: 12000KGS
PACKING: 6pcs/ctn
N.W.: 24.0kgs
G.W.: 25.0kgs
CUFT.: 0.91'



F3001


2" Lashing Winch
CAPACITY: 4500KGS
PACKING: 10 pcs/ctn
N.W.: 16.0kgs
G.W.: 16.5kgs
CUFT.: 0.38'

Ratchet Buckle Stainless Steel Series




TDR-104-9

SIZE: 1" SUS 304 Ratchet Buckle
CAPACITY: 560KGS
PACKING: 100pcs/ctn
N.W.: 19.0kgs
G.W.: 20.0kgs
CUFT.: 0.63'




TDR-109-9

SIZE: 1" SUS 304 Ratchet Buckle
CAPACITY: 1200 KGS
PACKING: 50pcs/ctn
N.W.: 18.0 kgs
G.W.: 19.0 kgs
CUFT.: 0.63'




TDR-154-9

SIZE: 1-1/2" SUS 304 Ratchet Buckle
CAPACITY: 1800KGS
PACKING: 30pcs/ctn
N.W.: 26.0kgs
G.W.: 27.0kgs
CUFT.: 1'



TDR-155-9


SIZE: 1-1/2" SUS 304 Ratchet Buckle
CAPACITY: 1200KGS
PACKING: 40pcs/ctn
N.W.: 19.0kgs
G.W.: 20.0kgs
CUFT.: 0.71'



TDR-208-9


SIZE: 2" SUS304 Ratchet Buckle
CAPACITY: 3000KGS
PACKING: 20pcs/ctn
N.W.: 21.0kgs
G.W.: 22.0kgs
CUFT.: 0.81'

Over-center Buckle Series




F6020-9

SIZE: 1" Stainless Over-center Buckle
CAPACITY: 2000KGS
PACKING: 100pcs/ctn
N.W.: 21.0kgs
G.W.: 22.0kgs
CUFT.: 0.6'




F6021

SIZE: 1" Over-center Buckle
CAPACITY: 2000KGS
PACKING: 100pcs/ctn
N.W.: 24.0kgs
G.W.: 24.5kgs
CUFT.: 0.7'




F6022-25

SIZE: 1" Over-center Buckle
CAPACITY: 500KGS
PACKING: 200pcs/ctn
N.W.: 14.0kgs
G.W.: 14.5kgs
CUFT.: 0.42'




F6023

SIZE: 2" Over-center Buckle
CAPACITY: 1500KGS
PACKING: 60pcs/ctn
N.W.: 18.5kgs
G.W.: 19.0kgs
CUFT.: 0.57'



F6024



SIZE: 2" Over-center Buckle
CAPACITY: 1200KGS
PACKING: 40pcs/ctn
N.W.: 12.0kgs
G.W.: 13.0kgs
CUFT.: 1.2'



F6025


SIZE: 2" Over-center Buckle
CAPACITY: 1300KGS
PACKING: 60pcs/ctn
N.W.: 20.0kgs
G.W.: 21.0kgs
CUFT.: 0.85'

Over-center Buckle Series




F6026

SIZE: 2" Over-center Buckle
CAPACITY: 1500KGS
PACKING: 60pcs/ctn
N.W.: 13.0kgs
G.W.: 14.0kgs
CUFT.: 0.65'





F6027

SIZE: 2" Over-center Buckle
CAPACITY: 1300KGS
PACKING: 60pcs/ctn
N.W.: 24.5kgs
G.W.: 25.0kgs
CUFT.: 0.86'




F6081

SIZE: 1-3/4" Over-center Buckle
CAPACITY: 2000KGS
PACKING: 40pcs/ctn
N.W.: 23.0kgs
G.W.: 24.0kgs
CUFT.: 0.64'




F6082

SIZE: 1-3/4" Over-center Buckle
CAPACITY: 2000KGS
PACKING: 30pcs/ctn
N.W.: 21.5kgs
G.W.: 22.5kgs
CUFT.: 1.6'



OC-501

SIZE: 2" Over-center Buckle
CAPACITY: 500KGS
PACKING: 60pcs/ctn
N.W.: 9.6kgs
G.W.: 10.6kgs
CUFT.: 1.2'



AOB09

SIZE: 1" Ladder type Buckle
CAPACITY: 1200KGS
PACKING: 100pcs/ctn
N.W.: 14.0kgs
G.W.: 15.0kgs
CUFT.: 0.53'


Lashing Strap Series

All the capacity stated below mean the breaking capacity.



TDR-090W-1

SIZE: 1" x 2m
WEBBING: Polypropylene
CAPACITY: 100KGS
PACKAGE: 2pcs/Header Card
PACKING: 96sets/18kgs/19kgs/2.5'



TDR-091W-2

SIZE: 1" x 2m/4m/6m
WEBBING: Nylon/Polyester
CAPACITY: 120KGS/200KGS
PACKAGE: Sliding Card



TDR-092W-4

SIZE: 1" x 2.5m/5m
WEBBING: Polypropylene
CAPACITY: 180KGS
PACKAGE: 2pcs/Sliding Card(2.5m)
1pcs/Sliding Card(5m)



TDR-093S-1

SIZE: 1-1/2" x 5m HOOK: "S"
WEBBING: Nylon
CAPACITY: 420KGS
PACKAGE: Sliding Card
PACKING: 40pcs/17kgs/18kgs/0.9'



TDR-094DJ-1

SIZE: 2" x 5m HOOK: Double "J"
WEBBING: P.P.
CAPACITY: 600KGS
PACKAGE: Header Card
PACKING: 48pcs/29kgs/30kgs/1.7'



TDR-099S-2

SIZE: 1" x 2m HOOK: "S"
WEBBING: Nylon
CAPACITY: 450KGS
PACKAGE: 2pcs/Sliding Card;
4pcs/Double Blister Card
PACKING: 24sets/17kgs/18kgs/1.4';
8 sets/13kgs/14kgs/1.75'

Ratchet Tie Down Series

All the capacity stated below mean the breaking capacity.




TDR-104W-2

SIZE: 1" x 5m
WEBBING: Polypropylene/Nylon
CAPACITY: 400KGS/500KGS
PACKAGE: Sliding Card
PACKING: 36pcs/13kgs/14kgs/1.7'



TDR-104S/DJ

SIZE: 1" x 5m HOOK: "S/DJ"
WEBBING: Polypropylene/Nylon/Polyester
CAPACITY: 400KGS/600KGS
PACKAGE: Sliding Card
PACKING: 36pcs/17kgs/18kgs/1.7'



TDR-106DJ/S

SIZE: 1" x 5m HOOK: "DJ/S"
WEBBING: Nylon/Polyester
CAPACITY: 700KGS
PACKAGE: Sliding Card
PACKING: 24pcs/16kgs/17kgs/1.7'



TDR-109DJ/S

SIZE: 1" x 5m HOOK: "DJ/S"
WEBBING: Nylon/Polyester
CAPACITY: 700KGS
PACKAGE: Sliding Card
PACKING: 24pcs/16kgs/17kgs/1.7'



TDR-153DJ-2

SIZE: 1-1/2" x 6m HOOK: Double "J"
WEBBING: Polyester
CAPACITY: 2000/3000KGS
PACKAGE: Color Box
PACKING: 10pcs/15kgs/16kgs/0.9'

Ratchet Tie Down Series

All the capacity stated below mean the breaking capacity.




TDR-204S-2

SIZE: 2" x 6m HOOK: "S"
WEBBING: Polypropylene
CAPACITY: 1000KGS
PACKAGE: Color Box
PACKING: 10pcs/13kgs/14kgs/0.9'




TDR-207DJ-1

SIZE: 2" x 9m HOOK: Double "J"
WEBBING: Polyester
CAPACITY: 5000KGS
PACKAGE: Color Box
PACKING: 10pcs/26kgs/28kgs/2.3'



TDR-208DJ-1

SIZE: 2" x 9m HOOK: Double "J"
WEBBING: Polyester
CAPACITY: 5000KGS
PACKAGE: Color Box
PACKING: 10pcs/26kgs/28kgs/2.3'



TDR-209DJ-1

SIZE: 2" x 9m HOOK: Double "J"
WEBBING: Polyester
CAPACITY: 5000KGS
PACKAGE: Color Box
PACKING: 10pcs/26kgs/27kgs/2.3'



Ratchet Tie Down Stainless Steel Series

All the capacity stated below mean the breaking capacity.



TDR-104DJ-9

SUS304
 SIZE: 1" x 4.3m HOOK: Double "J"
 WEBBING: Polyester
 CAPACITY: 500KGS
 PACKAGE: Sliding Card
 PACKING: 36pcs/19kgs/20kgs/1.7'



TDR-109DJ-9

SUS304
 SIZE: 1" x 4.3m HOOK: Double "J"
 WEBBING: Polyester
 CAPACITY: 600KGS
 PACKAGE: Sliding Card
 PACKING: 36pcs/25.5kgs/26.0kgs/2.3'



TDR-155DJ-9



SUS304
 SIZE: 1-1/2" x 6m HOOK: Double "J"
 WEBBING: Polyester
 CAPACITY: 1000KGS
 PACKAGE: Color Box
 PACKING: 10pcs/11.5kgs/12.5kgs/1.4'



TDR-208DJ-9

SUS304
 SIZE: 2" x 6m HOOK: Double "J"
 WEBBING: Polyester
 CAPACITY: 2000KGS
 PACKAGE: Color Box
 PACKING: 10pcs/22kgs/24kgs/2.3'

Cargo Net



1. USAGE: MOTORCYCLE LUGGAGE COVER

ITEM NO.	DESCRIPTION	HOOK	N.W.(KG)	G.W.(KG)	CUFT	Q'TY
JK-501	4.0mm x 13" x 13", 6 HOOKS	IRON	15.0	16.0	2.00'	100
JK-502	4.0mm x 15" x 15", 6 HOOKS	IRON	17.0	18.0	2.08'	100
JK-511	4.5mm x 8" x 15", 6 HOOKS	ACETAL RESIN	14.0	15.0	1.80'	100

PACKAGE: PACKED IN POLYBAG WITH HEADER CARD

2. USAGE: CAR/TRUCK BACK COVER

ITEM NO.	DESCRIPTION	HOOK	N.W.(KG)	G.W.(KG)	CUFT	Q'TY
JK-503	15" x 35" STORAGE NET, 2 HOOKS	ABS	13.0	14.0	2.00'	100
JK-504	15" x 40" STORAGE NET, 2 HOOKS	ABS	15.0	16.0	2.00'	100
JK-505	15" x 48" STORAGE NET, 2 HOOKS	ABS	17.0	18.0	2.00'	100
JK-512	4.5mm x 15" x 30", 8 HOOKS	ACETAL RESIN	11.0	12.0	1.67'	50
JK-513	4.5mm x 25" x 25", 12 HOOKS	PLASTIC	15.0	16.0	2.80'	50
JK-514	4.5mm x 30" x 30", 12 HOOKS	PLASTIC	11.0	12.0	2.00'	25
JK-515	4.5mm x 36" x 45", 14 HOOKS	PLASTIC	12.0	13.0	2.20'	25
JK-521	5.0mm x 30" x 60", 20 HOOKS	PLASTIC	15.8	16.8	2.31'	25
JK-522	5.0mm x 40" x 50", 20 HOOKS	PLASTIC	16.0	17.0	2.40'	25
JK-523	5.0mm x 25" x 25", 20 HOOKS	PLASTIC	17.0	18.0	3.00'	50
JK-524	5.0mm x 36" x 43", 20 HOOKS	PLASTIC	15.2	16.2	3.00'	25
JK-524	5.0mm x 36" x 43", 12 HOOKS	PLASTIC	14.5	15.5	2.31'	25
JK-525	5.0mm x 36" x 60", 20 HOOKS	PLASTIC	16.0	17.0	2.40'	25
JK-531	6.0mm x 25" x 20", 12 HOOKS	PLASTIC	12.0	13.0	2.00'	25
JK-532	6.0mm x 30" x 30", 12 HOOKS	PLASTIC	20.8	21.8	2.40'	25
JK-532	6.0mm x 30" x 30", 20 HOOKS	PLASTIC	21.8	22.8	3.00'	25
JK-533	6.0mm x 36" x 48", 14 HOOKS	PLASTIC	21.0	22.0	2.40'	25
JK-535	6.0mm x 39" x 51", 20 HOOKS	PLASTIC	20.0	21.0	2.50'	20
JK-536	6.0mm x 72" x 96", 28 HOOKS	PLASTIC	14.0	15.0	2.10'	12
JK-537	6.0mm x 36" x 60", 20 HOOKS	PLASTIC	21.0	22.0	2.40'	25

PACKAGE: PACKED IN POLYBAG WITH HEADER CARD

Stretch Cord (Luggage Cord)



JK-102

SIZE: Cord Dia. 7mm, 8mm, 9mm, 10mm
 With 2 Steel Hooks
 LENGTH: 12", 18", 24", 30", 36", 40", 48"
 PACKAGE: Polybag With Header Card



JK-204

SIZE: Cord Dia. 7mm, 8mm, 9mm, 10mm
 With 4 Steel Hooks
 LENGTH: 24", 30", 36", 40", 48"
 PACKAGE: Polybag With Header Card



JK-306

SIZE: Cord Dia. 7mm, 8mm, 9mm, 10mm
 With 6 Steel Hooks
 LENGTH: 24", 30", 36", 40", 48"
 PACKAGE: Polybag With Header Card




JK-408


SIZE: Cord Dia. 7mm, 8mm, 9mm, 10mm
 With 8 Steel Hooks
 LENGTH: 24", 30", 36", 40", 48"
 PACKAGE: Polybag With Header Card



STRETCH CORD HOOK



JKNS3P-2



STRETCH CORD HOOK

ITEM NO.	ø A	ø B	C
JKHS2-3	6mm	3.4	45
JKHS2-1	7mm	3.4	50
JKHS2-2	9mm	3.4	48
JKHS2-4	10mm	3.4	52
JKHS2P-2	9	3.7	50
JKHS3P-2	9	2.6	42

Rubber Straps

- **FASTENS SECURELY**


Eliminates load shifts, flapping, sagging

- **QUICK & EASY TO USE**

Built-in hooks, no knots to tie


- **STURDY CONSTRUCTION**

Special rubber compound
and reinforced ends for long life



ROUND HEAD

ITEM NO.	L	W	THICKNESS	HOOK	RECOMMEND STRETCH-UP TO
RTN09E	9"	16mm	5.2mm	2	13" - 18"
RTN15E	15"	16mm	5.2mm	2	24" - 26"
RTN21E	21"	16mm	5.2mm	2	29" - 33"
RTN31E	31"	16mm	5.2mm	2	41" - 46"
RTN41E	41"	16mm	5.2mm	2	54" - 58"



SQUARE HEAD

ITEM NO.	L	W	THICKNESS	HOOK	RECOMMEND STRETCH-UP TO
NTN10E	10"	18mm	7mm	2	15" - 20"
NTN15E	15"	18mm	7mm	2	25" - 30"
NTN21E	21"	18mm	7mm	2	30" - 42"
NTN31E	31"	18mm	7mm	2	45" - 62"
NTN41E	41"	18mm	7mm	2	60" - 82"


PACKING: BULK

USES:AUTO TRUCK


TARPAULINS LUGGAGE

CARRIERS, TRUNK LIDS. TENTS,

SPORTS RACKS, BOAT, MOORING



Industrial Working Safety Belt




A-105

ROPE: DIA. 10mm ϕ
LENGTH 1,500mm

BELT: WIDTH 50mm
LENGTH 1,200mm

Folding-back
Buckle




A-105D

ROPE: DIA. 10mm ϕ
LENGTH 1,500mm

BELT: WIDTH 50mm
LENGTH 1,200mm

Folding-back
Buckle



AB-105D

ROPE: DIA. 12mm ϕ
LENGTH 1,500mm

BELT: WIDTH 50mm
LENGTH 1,200mm

Slide
Buckle



AB-66D

ROPE: DIA. 12mm ϕ
LENGTH 1,500mm

BELT: WIDTH 50mm
LENGTH 1,200mm

Slide
Buckle




NP-747

ROPE: DIA. 16mm ϕ
LENGTH 2,000mm

INNER BELT: WIDTH 75mm
LENGTH 650mm

OUTER BELT: WIDTH 50mm
LENGTH 1,350mm


Folding-back
Buckle




**FALL-PROTECTION DEVICE FOR THE
HEIGHT WORKERS IN CONSTRUCTION
SITUATION OR WHEREVER.**

The Industrial Working Safety Belts are designed to prevent workers at height from falling by securely protecting the body with the belt and lanyard.

Names for the parts




Industrial Working Safety Belt



SL-66AB

The model SL-66AB is designed to protect height worker against free fall. The drop impact, should a fall occur, is distributed over the shoulder, chest, back, waist, thighs, and buttocks, and then to be minimized in each area of the body. The length is adjustable in each part of the belts.



FOLDING-BACK BUCKLE

SLIDE BUCKLE

Two different types of buckles are used in the industrial working safety belts, one is **Slide Buckle** and the other is **Folding-back Buckle**. Please make sure of the correct use of each one on your belt as per the drawings on the left.


Special Features:

1. Equipped with polyester belts and polyester life rope (lanyard).
2. All the hooks are equipped with the safety latch for security.

ITEM NO.	DESCRIPTION	PACK	N.W.(KG)	G.W.(KG)	CUFT	Q'TY
A-105	SINGLE "D" RING W/SNAP HOOK	SLIDING CARD	22.0	23.0	2.5'	25
A-105D	DOUBLE "D" RING W/SNAP HOOK	SLIDING CARD	26.3	27.3	2.5'	25
AB-105D	DOUBLE "D" RING W/SNAP HOOK	SLIDING CARD	27.5	28.5	2.5'	25
AB-66D	DOUBLE "D" RING W/LARGE SECURITY SNAP HOOK	SLIDING CARD	25.5	26.5	2.5'	15
SL-66AB	SINGLE "D" RING W/LARGE SECURITY SNAP HOOK	DOUBLE BLISTER	29.0	30.3	2.5'	10
NP747	DOUBLE "D" RING W/SNAP HOOK AND ONE ROPE ADJUSTER	COLOR BOX	16.0	18.0	2.5'	10




Wire Hooks



S HOOK

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D	
S2506	300	6	69	22	10	
S2507	500	7	106	25	24	
S2508	800	8	106	25	26	
S2509	900	9	117	25	32	
S2510	1000	9.5	117	26	28	
S2508-9	300	8	106	25	26	stainless
S2510-9	350	9.5	128	39	47	stainless



BS HOOK

(mm)



ITEM NO.	CAP. (kg)	A ϕ	B	C	D
BS5008	680	7.8	83	23	25
BS5009	900	9	95	25	30
BS5010	1400	10	98	25	30



S HOOK WITH SPRING LATCH

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D
S2006S	300	6	75	19	6
S2507S	500	7	106	24	7
S2508S	800	8	106	26	8



CS HOOK

(mm)



ITEM NO.	CAP. (kg)	A	B	C	D
CS2508	680	8	80	25	25



DS HOOK

(mm)

ITEM NO.	CAP. (kg)	A	B	C	D
DS5006	500	6	59	10	11
DS5009	1200	9	87	13	18





SNAP HOOK

(mm)

ITEM NO.	CAP. (kg)	A ϕ	B	C	D
EG-04	2000	12.5	112	15	28


Wire Hooks



DJ HOOK


(mm)

	ITEM NO.	CAP. (kg)	A Ø	B	C	D
1"	DJ2506B	700	6.3	49	27	10
	DJ2506A	700	6	55	27	19
	DJ2507	1360	7	60	27	20
	DJ2508	1700	8	80	28	20
1 1/2"	DJ3809B	2500	9	62	36	18
	DJ3809A	2500	9	85	38	16
	DJ3810A	3000	10	70	38	19
	DJ3810	3000	9.5	86	38	16
2"	DJ5006	700	6	69	54	25
	DJ5007	1500	7	68	51	25
	DJ5008	2000	8	88	50	18
	DJ5009A	3500	9.5	86	50	19
	DJ5011	4000	11	105	50	25
	DJ5011A	4000	11	86	50	25
	DJ5012B	5000	12	85	50	25
	DJ5012	5000	12	105	50	25
3"	DJ7516	10000	16	143	76	20
stain	DJ2507-9	650	7	60	28	20
less	DJ3010-9	1500	9.5	85	38	20
steel	DJ5012-9	2000	12	86	50	25



DJS-2508


DOUBLE J HOOK WITH KEEPER
CAP:1800kgs



J HOOK

(mm)

ITEM NO.	CAP. (kg)	A	B	C	D
JJ2508	300	8	108	23	17
JJ2510	545	10	100	25	25




J HOOK

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D
J2508	400	8	107	25	15
J3812	3000	12	90	38	20
J5013	3500	13	153	50	23
J5014	5000	14	90	50	15
J5015	5000	15	130	50	15

Wire Hooks




DJ HOOK WITH KEEPER (mm)

ITEM NO.	CAP. (kg)	A $\varnothing$	B	C	D
DDJ2507	1500	7	64	27	25
DDJ3807	1500	7	85	38	36
DDJ4507	3000	7	72	43	40
DDJ5010	5000	10	82	48	40




DJ HOOK WITH SAFETY LATCH (mm)

ITEM NO.	CAP. (kg)	A	B	C	D
DJ5012KB	5000	12	85	50	25
DJ5012KA	5000	12	96	50	25
DJ5012K	5000	12	107	50	25




DJ HOOK WITH WELDED TUBE (mm)

ITEM NO.	CAP. (kg)	A	B	C	D	E
DJ3810WT	3000	10	104	38	17	17
DJ3812WT	5000	12	105	50	25	20



J HOOK WITH WELDED TUBE (mm)


ITEM NO.	CAP. (kg)	A	B	C	D	E
J3812WT	3000	12	90	38	20	17
J5015WT	5000	15	130	50	15	19



SINGLE FINGER HOOK (mm)


ITEM NO.	CAP. (kg)	A	B	C	D	E
J3813SF	3000	13	98	35	18	13
J5011SF	1360	11	80	54	14	13.5

Wire Hooks




J5010DF

DOUBLE FINGER HOOK
CAP: 2270kgs



J5010SW

SIDEWAYS HOOK
CAP: 1360kgs



SWIVEL J HOOK

(mm)


ITEM NO.	CAP. (kg)	A ^Ø	B	C	D	E
UJ2514	3000	14	101	27	12	29
UJ4513	3000	13	97	43	12	30
UJ4516	5000	16	94	44	18	30
UJ3516	5000	16	98	38	19	29
UJ5016	5000	16	104	50	20	29



Wire Hooks




CR5010-1



RAVE HOOK

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D
OR5010	1500	9.5	42	51	25
OR5008	800	7.5	34	49	16
CR5010-1	1500	10	36	53	15



WIRE HOOK

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D
WH2506	250	6	55	26	17
WH5006	250	6	50	50	17



CLAW HOOK

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D
C3810	3000	9.5	60	40	17
C5011	4000	11	60	52	16
C5012	5000	12	60	52	16



SNAP HOOK

(mm)

ITEM NO.	SIZE (h1xd1)	C	d2	d3	WLL
QL4004	40x4mm	8	6	4	---
QL5005	50x5mm	8	8	4	100KGS
QL6006	60x6mm	8	9	5	120KGS
QL7007	70x7mm	8	10	8	180KGS
QL8008	80x8mm	9	10	8	230KGS
QL9009	90x9mm	10	12	9	250KGS
QL10010	100x10mm	11	15	10	350KGS
QL12011	120x11mm	16	18	11	450KGS
QL14012	140x12mm	19	20	13	380KGS
QL16013	160x13mm	25	22	15	410KGS





SNAP HOOK WITH GROMMET (mm)

ITEM NO.	SIZE (h1xd1)	C	d2	d3	WLL
QL4004G	40x4mm	8	6	4	---
QL5005G	50x5mm	8	8	4	100KGS
QL6006G	60x6mm	8	9	5	120KGS
QL7007G	70x7mm	8	10	8	180KGS
QL8008G	80x8mm	9	10	8	230KGS
QL9009G	90x9mm	10	12	9	250KGS
QL10010G	100x10mm	11	15	10	350KGS
QL12011G	120x11mm	16	18	11	450KGS
QL14012G	140x12mm	19	20	13	380KGS
QL16013G	160x13mm	25	22	15	410KGS

MBS = 2x Working Load Limited



Wire Hooks



QUICK LINK, STAINLESS STEEL (mm)



ITEM NO.	SIZE		O.L.		WLL		ITEM NO.	SIZE		O.L.		WLL	
	mm	Inch	mm	kgs	lbs	mm		Inch	mm	kgs	lbs		
CD-21CH	3.5	1/8	36	180	396	CD-27CH	8	5/16	75	700	1540		
CD-22CH	4	5/32	40	230	506	CD-28CH	9	3/8	80	900	1980		
CD-23CH	5	3/18	50	300	660	CD-29CH	10	13/32	90	1050	2310		
CD-25CH	6	1/4	60	400	880	CD-30CH	12	1/2	106	1200	2640		
CD-26CH	7	9/32	70	550	1210								

Minimum Breaking Load = 4x Working Load Limited





GOLD SHUT (mm)

ITEM NO.	WIRE DIA		WLL	
	inch	mm	kgs	lbs
QL7205	3/16	5	154	340
QL7206	1/4	6	340	750
QL7208	5/16	8	568	1250
QL7210	3/8	10	864	1900
QL7211	7/16	11	1205	2650
QL7212	1/2	12	1859	4090





QL6106

SPRING QUICK LINK
CAP: 300kgs





QL7805

ROPE SNAP HOOK, STAINLESS STEEL
CAP: 100kgs



QL6406


QUICK LINK
CAP: 400kgs



SPRING QUICK LINK (mm)



ITEM NO.	WIRE DIA		O.L.	BREAKING LOAD
	mm	mm		
QL5705	5	45		250
QL5705-1	5	57		250

Wire Hooks




DR3006

1" WAISTED D RING
CAP: 1300kgs





AR5013

2" D RING
CAP: 6000kgs



RECTANGLE RING (mm)



ITEM NO.	CAP. (kg)	ØA	B	C	REMARK
AR5008	2500kg	8.5	24	50	RECTANGEL RING
AR5009	2500kg	8.5	50	50	SQUNRL RING



WIRE BUCKLE (EYE RING)

(mm)


ITEM NO.	CAP. (kg)	ØA	B	C	D
B3511A	5000kg	11	61	39	114
B5011B	5000kg	11	78	55	115



B5013


WIRE BUCKLE
CAP: 4000kgs

Wire Hooks




D RING (mm)

ITEM NO.	CAP. (kg)	ϕA	B	C
D2507	800	7	45	25
D3807	2000	7	73	38
D5007	2000	7	85	50
D5008	3000	8	98	54
D5010	5000	10	85	59




D RING (mm)

ITEM NO.	CAP. (kg)	ϕA	B	C
D2506	1360	6	35	26
D4507	2000	7	38	43
D5009	3000	9	58	54
D5010-1	4000	10	67	54



D RING (mm)



ITEM NO.	CAP. (kg)	ϕA	B	C
D4005	250	5	47	39
D5011	5000	11	68	52



O RING (mm)



ITEM NO.	CAP. (kg)	ϕA	B
O4006	1500	6	40
O5010	2270	9.5	50
O7510	2270	9.5	76

Flat Hooks





L2503B

1" FLAT HOOK
CAP: 350kgs





L2503

1" FLAT HOOK
CAP: 350kgs





LJ2504

1" x 3.5^t PUSH BUTTON HOOK
CAP: 1500kgs



LJ2505

1" x 4.5^t FLAT HOOK
CAP: 450kgs



LR-505



2" FLAT HOOK
CAP: 2000kgs



L505



L505W



FLAT HOOK

(mm)

ITEM NO.	CAP. (kg)	A	B	C	D
L505	5000	4.5	88	46	16
L505W	4540	4.5	91	51	20

Flat Hooks




BLH-5005



BLH-7005W




BLH-10005



FLAT HOOK


(mm)

ITEM NO.	CAP. (kg)	A	B	C	D
BLH5005W	6500	5	95	57	15
BLH7005W	6500	5	97	70	16
BLH5005	5000	5	96	57	15
BLH7005	5000	5	97	70	16
BLH10005	6800	5	97	69	15



AMH17


1" FLAT J HOOK
CAP: 1500kgs



SNAP HOOK

(mm)

ITEM NO.	CAP. (kg)	A	B	C	D
SN2503	1500	3.5	96	27	12
SN2504	2000	4	96	26	12
SN2505	2500	4.5	108	46	25
SN4505	2500	4.5	108	45	25
SN5005	2500	4.5	108	50	25




SNAP HOOK WITH SPACERS

(mm)


ITEM NO.	CAP. (kg)	A	B	C	D
SN1504	3000	4	129	13	22
SN1506	5000	6	133	13	22

Flat Hooks




DSL2205

SNAP HOOK
CAP: 1500kgs




DSL2206

SNAP HOOK
CAP: 2000kgs




SN5006

2" x 6^t SNAP HOOK
CAP: 5000kgs



TWISTED SNAP HOOK (mm)


ITEM NO.	CAP. (kg)	A	B	C	D
TWSN3805	3000	5	130	38	20
TWSN5006	5000	6	157	51	21



TWSN5015


2" TWISTED SNAP HOOK
CAP: 5000kgs

Flat Hooks




TWSN5005

2" TWISTED SNAP HOOK WITH
SPECIAL KEEPER
CAP: 5000kgs




SN7506

3" SNAP HOOK WITH DEFENDER
CAP: 6800kgs




USN4505

1 $\frac{3}{4}$ " SWIVEL SNAP HOOK
CAP: 3200kgs



USN5005


2" SWIVEL SNAP HOOK
CAP: 3000kgs



DSL2207


SNAP HOOK
CAP: 2000kgs

Flat Hooks




DF5004S

2" x 4^t SNAP HOOK
CAP: 1000kgs





DF5005

2" x 5^t GRAB PLATE
CAP: 5000kgs



DF5005B


2" x 5^t GRAB PLATE
CAP: 5000kgs



L25022


1" CUTTER HOOK
CAP: 250kgs

Logistic Track Fittings




RA09

WOOD BEAM SOCKET




TF01W

2" END FITTING
CAP: 2000kgs/4500lbs




TF5003A

2" END FITTING
CAP: 2000kgs



TF01


2" SPRING ACTUATED END FITTING
CAP: 1500kgs



TF02

SPRING ACTUATED END FITTING WITH 2" D RING
CAP: 1000kgs

Logistic Track Fittings




DSF2518

DOUBLE STUD FITTING

CAP: 2500kgs/6000lbs


ZINC ALLOY, ALUMINUM & STEEL AVAILABLE



SSF3005


SINGLE STUD FITTING WITH O RING

CAP: 1800kgs/4000lbs



D RING WITH BRACKET (mm)

ITEM NO.	CAP. (kg)	A Ø	B	C	D	E
DB2506	545	6	47	26		53
DB6013	5454	13	88	60	44	75




RA01

HEAVY DUTY RECESSED ANCHOR

CAP: 2000kgs


Forged Hook



EYE HOOKS

(mm)


ITEM NO.	CAP. (kg)	A ϕ	B ϕ	C	D	E	F
HP-104	1500	13	27	15.5	90	20	10.5
HP-205	2500	14	30	10.5	103	22.5	12
HP-406	4000	16	35	13	112	24	16



EYE HOOKS


(mm)

ITEM NO.	CAP. (kg)	A ϕ	B	C	D	E
HP-205S	2000	18	107	11	19	22
HP-406S	4000	21	113	15	17	20
HP-508S	5000	25	135	17	28	25




EYE HOOKS

ITEM NO.	SIZE OF CHAIN.	WORKING LOAD LIMIT(kgs)	DIMENSIONS(mm)				WEIGHT (kg)
		CARBON STEEL	B	E	R	T	
EG-205S	1/4"	2000	12.7	19	65	20	0.19
EG-406S	5/16"	3000	16	22.4	74.9	20	0.327



EYE HOOKS


ITEM NO.	WORKING LOAD LIMIT(ton)		DIMENSIONS(mm)				
	CARBON STEEL	ALLOY STEEL	A ϕ	E	R	O	T
EE-104S	1/2	3/4	16	22	71	20.6	16.5
EE-205S	3/4	1	19	24	82	22.4	20.6
EE-406S	1 1/2	2	28.5	27	104	25.4	21.3
EE-508S	2	3	32	31	119	28.5	30
EE-610S	3	4 1/2	40	38	147	34	35



EYE SLIP HOOKS WITH LATCHES



ITEM NO.	SIZE OF CHAIN.	WORKING LOAD LIMIT(kgs)		DIMENSIONS(mm)				WEIGHT EACH (kg)
		CARBON STEEL	ALLOY STEEL	B	E	R	T	
ES-205S	1/4"	2000	2750	12.7	19	65	20	0.19
ES-406S	5/16"	4000	4300	16	22.4	75	20	0.327
ES-508S	3/8"	5000	5250	18.3	28	85.3	25.9	0.467
ES-610S	1/2"	6000	9000	23.9	35	108.7	33	1.111

Forged Hook





WG-01

WIRE GRIP
CAP: 800kgs





EH-01

3/4 FORGED HOOK
CAP: 2500kgs





EH-04

3/4 FORGED HOOK
CAP: 2500kgs



DSL-2203



DOUBLE SECURITY LANYARD
FORGED HOOK
CAP: 2000kgs



DSL-2204S


DOUBLE SECURITY LANYARD
FORGED HOOK
CAP: 2000kgs

Forged Hook





DSL-2207

LONGER DOUBLE SECURIT
LANYARD FORGED HOOK
CAP: 2270kgs/5000lbs



SNL-7501







LARGE SECURITY SNAP HOOK
CAP: 2000kgs



HPA-206

1/4" HOOK WITH LOCK LATCH
CAP: 2000kgs

Pulley












PULLEY

(mm)

ITEM NO.	CAP. (kgs)	DIA	A	B	C	D	E HOOK	MATERIAL
PL-40 (HPWS1)	1000	5	143	16	46	44	HP-104	ADC-12
HPWS2	2000	5	162	19	54	44	HP-205	ADC-12
HPWS3	3000	5	162	19	56	50	EG-406S	SAE-1008
HPWS4	4000	6	182	23	64	55	HP-406	ADC-12
PL-56	2000	6	165	27	57	56	HP-205NS	ADC-12
PL-100	4000	10	235	32	100	100	HP-406NS	ADC-12
HPWB3	2000	WEB 1"	162	38	56	50	EG-406S	NYLON
HPRS1	1000	ROPE 10ø	158	24	56	55	HP-104	ADC-12

Forged Hook



HEAVY DUTY BOW SHACKLE, STAINLESS STEEL (OVERSIZE PIN)

ITEM NO.	A		B	WLL	
	mm	inch	mm	kgs	lbs
DBS-1605	5	3/16	37	200	440
DBS-1606	6	1/4	46	300	660
DBS-1608	8	5/16	53	450	990
DBS-1610	10	3/8	64	600	1320
DBS-1612	12	1/2	74	1200	2640
DBS-1616	16	5/8	106	1950	4290
DBS-1619	19	3/4	126	2850	6270
DBS-1622	22	7/8	148	3900	8580
DBS-1625	25	1	166	5100	11220

MINIMUM BREAKING LOAD = 4 x WORKING LOAD LIMITED

D SHACKLE

(mm)

ITEM NO.	A	B	C	SWL
DBS-1705	5mm	11	19	240kgs
DBS-1706	6mm	12	21	340kgs
DBS-1708	8mm	17	28	700kgs
DBS-1710	10mm	20	35	980kgs
DBS-1712	12mm	24	38	1300kgs
DBS-1716	16mm	33	56	2500kgs

LONG D SHACKLE, STAINLESS STEEL

ITEM NO.	A		B	WLL	
	mm	inch	mm	kgs	lbs
DBS-1304	4	5/32	40	40	88
DBS-1305	5	3/16	50	80	176
DBS-1306	6	1/4	60	100	220
DBS-1308	8	5/16	77	200	440
DBS-1310	10	3/8	100	300	660
DBS-1312	12	1/2	120	500	1100

MINIMUM BREAKING LOAD = 4 x WORKING LOAD LIMITED






WIRE ROPE CLIP, STAINLESS STEEL

ITEM NO.	ROPE	SIZE	ITEM NO.	ROPE	SIZE
	mm	inch		mm	inch
DBS-1002	2	1/16	DBS-1008	8	5/16
DBS-1003	3	1/8	DBS-1010	10	3/8
DBS-1004	4	5/32	DBS-1012	12	1/2
DBS-1005	5	3/16	DBS-1014	14	9/16
DBS-1006	6	1/4	DBS-1016	16	5/8

STAINLESS STEEL SWIVEL, EYE + JAW

ITEM NO.	A		B	WLL	
	mm	inch	mm	kgs	lbs
SSS-1306	6	1/4	66	300	660
SSS-1308	8	5/16	90	480	1056
SSS-1310	10	7/16	115	640	1408
SSS-1313	13	1/2	154	1000	2200
SSS-1316	16	5/8	188	1200	2640

Forged Hook



JIS FORGED EYE BOLT

ITEM NO.	SIZE	LENGTH OF THREAD (mm)	EYE SIZE (mm)	WLL	
				kgs	lbs
JFEB6006	M6	10	16	40	88
JFEB6008	M8	15	20	80	176
JFEB6010	M10	18	25	150	330
JFEB6012	M12	22	30	220	484
JFEB6014	M14	24	32	300	660
JFEB6016	M16	27	35	450	990

MINIMUM BREAKING LOAD = 4 x WORKING LOAD LIMITED

JIS FORGED EYE NUT

ITEM NO.	SIZE	EYE SIZE (mm)	WLL	
			kgs	lbs
JFEN6006	M6	16	40	88
JFEN6008	M8	20	80	176
JFEN6010	M10	25	150	330
JFEN6012	M12	30	220	484
JFEN6014	M14	32	300	660
JFEN6016	M16	35	450	990

MINIMUM BREAKING LOAD = 4 x WORKING LOAD LIMITED

DIN FORGED EYE BOLT, STAINLESS STEEL

ITEM NO.	THREAD	EYE (mm)	LEG (mm)	WLL	
				kgs	lbs
DFEB5006	M6	16	13	70	154
DFEB5008	M8	20	15	140	308
DFEB5010	M10	25	18	230	506
DFEB5012	M12	30	22	340	748


MINIMUM BREAKING LOAD = 4 x WORKING LOAD LIMITED

DIN FORGED EYE NUT, STAINLESS STEEL

ITEM NO.	THREAD	EYE (mm)	WLL	
			kgs	lbs
DFEN4006	M6	16	70	154
DFEN4008	M8	20	140	308
DFEN4010	M10	25	230	506
DFEN4012	M12	30	340	748


MINIMUM BREAKING LOAD = 4 x WORKING LOAD LIMITED

Snap Hook



SNAP HOOK UNIT:mm


ITEM NO.	A	B ^Ø	C	D ^Ø
BS28	8.5	18	84	22
BS29	9.5	21	98.5	26
BS30	6.5	15	69	19



SWIVEL BOLT SNAP HOOK, STAINLESS STEEL


ITEM NO.	EYE SIZE		O.L. mm	WLL	
	mm	inch		kgs	lbs
SBSH-1910	10	3/8	64	20	44
SBSH-1913	13	1/2	76	30	66
SBSH-1916	16	5/8	88	40	88
SBSH-1919	19	3/4	92	50	110
SBSH-1925	25	1	96	60	132
SBSH-1928	28	1-1/8	100	70	154
SBSH-1932	30	1-1/4	120	100	220

WLL: WORKING LOAD LIMITED



DESH-1306


DOUBLE END SNAP HOOK,
STAINLESS STEEL
CAP: 200kgs/440lbs



SPRING HOOK, STAINLESS STEEL


ITEM NO.	EYE SIZE		O.L. mm	WLL	
	mm	inch		kgs	lbs
SHSS-1506	9	1/4	60	20	44
SHSS-1508	11.5	5/16	80	60	132
SHSS-1510	14	3/8	100	90	198
SHSS-1512	17.5	1/2	120	120	264

Snap Hook




SNAP HOOK (mm)

ITEM NO.	A ^Ø	B	C
BS01	5	26	50
BS14	3	26	50
BS15	5	50	50
BS16	3	50	50




SNAP HOOK (mm)

ITEM NO.	A ^Ø	B	C
BS23	3	12	58
BS24	3,5	14	68




BS25

SNAP HOOK



BS26

SNAP HOOK



BS27

SNAP HOOK

Plastic Buckle



SIDE RELEASE BUCKLE

ITEM NO.	SIZE (WIDTH)
SF202-25	25 mm
SF202-30	30 mm
SF202-40	40 mm
SF202-50	50 mm



STRAP BUCKLE

ITEM NO.	SIZE (WIDTH)
SF505-15	15 mm
SF505-20	20 mm
SF505-25	25 mm
SF505-40	40 mm
SF505-50	50 mm



CLASP

ITEM NO.	SIZE (WIDTH)
SF512-15	15 mm
SF512-25	25 mm
SF512-30	30 mm
SF512-40	40 mm
SF512-45	45 mm
SF512-50	50 mm



SPRING HOOK

ITEM NO.	SIZE (WIDTH)
SF310-20	20 mm
SF310-25	25 mm
SF310-30	30 mm
SF310-40	40 mm
SF310-50	50 mm



TRIANGULAR RING


ITEM NO.	SIZE (WIDTH)
SF414-20	20 mm
SF414-25	25 mm
SF414-30	30 mm
SF414-40	40 mm
SF414-45	45 mm
SF414-50	50 mm



TENSION LOCK


ITEM NO.	SIZE (WIDTH)
SF503-15	15 mm
SF503-20	20 mm
SF503-25	25 mm
SF503-30	30 mm
SF503-40	40 mm

Plastic



NYPG-01

PLASTIC EDGE GUARD FOR PALLET
SIZE: 100mm x 100mm x 40mm
MATERIAL: NYLON 6



EP-502



BUCKLE PROTECTIVE PAD
SIZE: 175mm x 81mm x 3mm
MATERIAL: PVC

Rope Hoist EASE TO USE INDOORS AND OUTDOORS



Special Features:


1. Weather-proof metal pulleys with strong, long-lasting polypropylene rope.
2. Welded rings, double-grip safety hooks and rustproof Zinc-plated housings.



ITEM NO.	DESCRIPTION	LIFT RATIO	CAPACITY	PACK	N.W.(KG)	G.W.(KG)	CUFT	Q'TY
CD-RH02	ø 5mm x 65FT, NYLON ROLLER	1 : 7	1000 LBS	COLOR BOX	21	22	1.7'	24
CD-RH11	ø 8mm x 65FT, NYLON ROLLER	1 : 7	2000 LBS	POLYBAG	24.9	25.5	1.7'	12

PACK: COLOR BOX AND SLIDING CARD ARE BOTH AVAILABLE.

Architectural Tool



WRJ-05 (DIY type)

1" Ratchet buckle x 5m Webbing (P.P.)
With 2 plates

PACKAGE: 1set/polybag


PACKING: 24set/17kgs/18kgs/0.91'

Remark:

1. Bracing tools are not for lifting, Pulling, transporting or putting on living creatures. Misusage can call forth personal or objects harm.
2. You are allowed to tie only from hand without supplementary assistance.



Tow Strap



TS-5013HP



TS-5030DJ



TS-5030W



TS-7530W



TS-5003DW

2" TOW STRAP

ITEM NO.	(W) x (L)	BREAKING CAP. 4000 kgs	BREAKING CAP. 5000 kgs	BREAKING CAP. 6000 kgs
TS-5003	2" x 1m	W/HP/DJ	W/HP/DJ	W/HP
TS-5006	2" x 2m	W/HP/DJ	W/HP/DJ	W/HP
TS-5010	2" x 3m	W/HP/DJ	W/HP/DJ	W/HP
TS-5013	2" x 4m	W/HP/DJ	W/HP/DJ	W/HP
TS-5016	2" x 5m	W/HP/DJ	W/HP/DJ	W/HP
TS-5020	2" x 6m	W/HP/DJ	W/HP/DJ	W/HP
TS-5023	2" x 7m	W/HP/DJ	W/HP/DJ	W/HP
TS-5026	2" x 8m	W/HP/DJ	W/HP/DJ	W/HP
TS-5030	2" x 9m	W/HP/DJ	W/HP/DJ	W/HP
TS-5033	2" x 10m	W/HP/DJ	W/HP/DJ	W/HP

2" DOUBLE LAYERS TOW STRAP

ITEM NO.	DESCRIPTION	BREAKING CAP. 7000 (kgs)	PACK
TS-5003DW	2" x 1m	w	PVC Bag / Double Blister
TS-5006DW	2" x 2m	w	PVC Bag / Double Blister
TS-5010DW	2" x 3m	w	PVC Bag / Double Blister
TS-5013DW	2" x 4m	w	PVC Bag / Double Blister
TS-5016DW	2" x 5m	w	PVC Bag / Double Blister
TS-5020DW	2" x 6m	w	PVC Bag / Double Blister
TS-5023DW	2" x 7m	w	PVC Bag / Double Blister
TS-5026DW	2" x 8m	w	PVC Bag / Double Blister
TS-5030DW	2" x 9m	w	PVC Bag / Double Blister
TS-5033DW	2" x 10m	w	PVC Bag / Double Blister

3" TOW STRAP

ITEM NO.	DESCRIPTION	BREAKING CAP. 7000 (kgs)	PACK
TS-7506W	3" x 2m	w	PVC Bag / Double Blister
TS-7510W	3" x 3m	w	PVC Bag / Double Blister
TS-7513W	3" x 4m	w	PVC Bag / Double Blister
TS-7516W	3" x 5m	w	PVC Bag / Double Blister
TS-7520W	3" x 6m	w	PVC Bag / Double Blister
TS-7523W	3" x 7m	w	PVC Bag / Double Blister
TS-7526W	3" x 8m	w	PVC Bag / Double Blister
TS-7530W	3" x 9m	w	PVC Bag / Double Blister
TS-7533W	3" x 10m	w	PVC Bag / Double Blister

Remark : 1,the abbreviation above mean the separate end-fitting attached to the tow strap,the details will be as following (please choose one end-fitting only as your product):

W -2 Sewn loops

DJ -2 "DJ" hooks

HP -2 "HP" hooks

2.**PVC bag** package.

Wire Tow Cable



5CAH-12/20
6CAH-12/20
8CAH-12/20



5CAP-12/20
6CAP-12/20
8CAP-12/20



5CAH-12HP/20HP
6CAH-12HP/20HP
8CAH-12HP/20HP



5CAP-12U/20U
6CAP-12U/20U
8CAP-12U/20U

ITEM NO.	DESCRIPTION	PACKAGE	N.W.(KG)	G.W.(KG)	CUFT	Q'TY
5CAH-12	5mm x 12ft W/O HOOK	Sliding card	6.0	8.0	1.45'	15
5CAH-12HP	5mm x 12ft W/2 HOOK	Sliding card	12.0	14.0	1.45'	15
5CAH-20	5mm x 20ft W/O HOOK	Sliding card	10.0	12.0	1.45'	15
5CAH-20HP	5mm x 20ft W/2 HOOK	Sliding card	16.0	18.0	1.45'	15
6CAH-12	6mm x 12ft W/O HOOK	Sliding card	8.5	10.5	1.45'	15
6CAH-12HP	6mm x 12ft W/2 HOOK	Sliding card	17.5	19.5	1.45'	15
6CAH-20	6mm x 20ft W/O HOOK	polybag	26.7	28.2	1.20'	30
6CAH-20HP	6mm x 20ft W/2HOOK	polybag	29.8	31.5	1.20'	20
8CAH-12	8mm x 12ft W/O HOOK	Sliding card	13.5	15.5	1.45'	15
8CAH-12HP	8mm x 12ft W/2HOOK	Sliding card	26.0	28.0	1.45'	15
8CAH-20	8mm x 20ft W/O HOOK	polybag	27.8	29.3	1.40'	20
8CAH-20HP	8mm x 20ft W/2 HOOK	polybag	22.0	23.5	1.40'	10





至光工具股份有限公司
Jun Kaung Industries Co., Ltd.

台灣台中市大里區景庄街180巷20號
Factory: NO. 20, LN. 180, JING ZHUANG ST., DALI DIST.,
TAICHUNG CITY 412027, TAIWAN
Tel:886-4-24962255 Fax:886-4-24969265
e-mail: jk@jktool.com.tw
www.jktool.com.tw

